

joe@yavin: ~/s20/it3110/web

x

joe@dhcp-it3110: /var/lib/tftpboot

x

```
joe@dhcp-it3110:/var/lib/tftpboot$ echo "going to add some kickstart stuff"
```

```
going to add some kickstart stuff
```

```
joe@dhcp-it3110:/var/lib/tftpboot$ ls
```

```
ldlinux.c32  netboot.tar.gz  pxelinux.0  pxelinux.cfg  ubuntu-installer  version.info
```

```
joe@dhcp-it3110:/var/lib/tftpboot$ sudo vi pxelinux.cfg/default
```

```
# D-I config version 2.0
# search path for the c32 support libraries (libcom32, libutil etc.)
path ubuntu-installer/amd64/boot-screens/
include ubuntu-installer/amd64/boot-screens/menu.cfg
default ubuntu-installer/amd64/boot-screens/vesamenu.c32
#prompt 0
timeout 10
label linux
    menu default
    menu label ubuntu
    kernel ubuntu-installer/amd64/linux
    append ks=https://gist.githubusercontent.com/funzoneq/d77369203ea447dc3cc2/raw/9c494980c
a877683e3db7643fa5934f1aed55be8/ubuntu.ks vga=normal initrd=ubuntu-installer/amd64/initrd.
gz ramdisk_size=16432 root=/dev/rd/0 rw --
```

```
"pxelinux.cfg/default" 12 lines, 575 characters written
```

joe@yavin: ~/s20/it3110/web

x

joe@dhcp-it3110: /var/lib/tftpboot

x

```
joe@dhcp-it3110:/var/lib/tftpboot$ echo "now netboot and test"
```

```
now netboot and test
```

```
joe@dhcp-it3110:/var/lib/tftpboot$ █
```