



```
root@dhcp:/var/lib/tftpboot# ls
```

```
ldlinux.c32      pxelinux.0      ubuntu-installer
```

```
netboot.tar.gz  pxelinux.cfg   version.info
```

```
root@dhcp:/var/lib/tftpboot# echo "DHCP already loads stuff from this directory.  
With some edits, we can then point to a kickstart file"
```

```
DHCP already loads stuff from this directory. With some edits, we can then point  
to a kickstart file
```

```
root@dhcp:/var/lib/tftpboot# █
```



root@dhcp: /var/lib/tftpboot



```
root@dhcp:/var/lib/tftpboot# vi pxelinux.cfg/default
```



```
# D-I config version 2.0
# search path for the c32 support libraries (libcom32, libutil etc.)
path ubuntu-installer/amd64/boot-screens/
include ubuntu-installer/amd64/boot-screens/menu.cfg
default ubuntu-installer/amd64/boot-screens/vesamenu.c32
prompt 0
timeout 0
```

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

```
"pxelinux.cfg/default" 7L, 265C
```

6,1

All

```
# D-I config version 2.0
# search path for the c32 support libraries (libcom32, libutil etc.)
path ubuntu-installer/amd64/boot-screens/
include ubuntu-installer/amd64/boot-screens/menu.cfg
default ubuntu-installer/amd64/boot-screens/vesamenu.c32
#prompt 0
timeout 10
label netbooted-linux
    menu default
    menu label ubuntu
    kernel ubuntu-installer/amd64/linux
    append ks=http://cit.dixie.edu/it/3110/joe-notes-2021/netboot_2/ks.cfg vga=normal
initrd=ubuntu-installer/amd64/initrd.gz ramdisk_size=16432 root=/dev/rd/0 rw
```

```
--
```



root@dhcp: /var/lib/tftpboot



```
root@dhcp:/var/lib/tftpboot# vi pxelinux.cfg/default
```

```
root@dhcp:/var/lib/tftpboot# echo "Netboot again"
```

```
Netboot again
```

```
root@dhcp:/var/lib/tftpboot# █
```